

PGA resoquick™



PGA resoquick™ ist ein kurzfristig resorbierbares, geflochtenes Nahtmaterial bestehend aus Polyglycolsäure. Die hohe Reißfestigkeit des Fadens und die spezielle Beschichtung ermöglichen den Einsatz innerhalb vielfältiger Indikationen bei minimalem Gewebetrauma. PGA resoquick™ wird ungefärbt angeboten.

- kurzfristig resorbierbares Multifilament
- hohe Reißkraft
- minimales Gewebetrauma
- glatter Gewebedurchzug
- guter Knotensitz




PGA resoquick™



PGA Resoquick™ is a short term absorbable braided suture based on Polyglycolacid. Due to the high tensile strength and the special coating PGA Resoquick™ can be used on multiple indications by causing minimal tissue trauma. PGA Resoquick™ is provided as a undyed suture.

- short term absorbable multifilament
- high tensile strength
- minimized tissue trauma
- smooth tissue passage
- perfect knot security










In-vitro-Degradationsversuch
In-vitro trial of suture degradation

PGA resoquick™

Sterile Nadel-Faden-Kombination









Needle - suture - combination, sterile

Nadel / needle	Stärke Nr. gauge no.		Länge/length m	Farbe/colour	Best.-Nr. code no.	Pckg.-Inhalt box content in Stück/pieces
	USP	metric				
5/8-Kreis Rundkörper = FR <i>5/8 circle, round bodied = FR</i>						
● FR 35 	2-0	3	0,70	ungefärbt/ undyed	PR30103	24
1/2-Kreis Rundkörper = HR, HRS <i>1/2 circle, round bodied = HR, HRS</i>						
● HR 17 	5-0	1	0,70	ungefärbt/ undyed	PR30203	24
	4-0	1.5	0,70	ungefärbt/ undyed	PR30204	24
	3-0	2	0,70	ungefärbt/ undyed	PR30205	24
● HR 22 	4-0	1.5	0,70	ungefärbt/ undyed	PR30208	24
	3-0	2	0,70	ungefärbt/ undyed	PR30209	24
	2-0	3	0,70	ungefärbt/ undyed	PR30210	24
● HR 27 	4-0	1.5	0,70	ungefärbt/ undyed	PR30213	24
	3-0	2	0,70	ungefärbt/ undyed	PR30214	24
	2-0	3	0,70	ungefärbt/ undyed	PR30215	24
	0	3.5	0,70	ungefärbt/ undyed	PR30216	24
● HRS 27 	2-0	3	0,70	ungefärbt/ undyed	PR30303	24
	0	3.5	0,70	ungefärbt/ undyed	PR30304	24
	1	4	0,70	ungefärbt/ undyed	PR30305	24
● HR 35 	0	3.5	0,90	ungefärbt/ undyed	PR30217	24
● HRS 35 	2-0	3	0,90	ungefärbt/ undyed	PR30308	24
	0	3.5	0,90	ungefärbt/ undyed	PR30309	24
	1	4	0,90	ungefärbt/ undyed	PR30310	24

PGA *resoquick*TM

Sterile Nadel-Faden-Kombination










Needle - suture - combination, sterile

Nadel / needle	Stärke Nr. gauge no.		Länge/length m	Farbe/colour	Best.-Nr. code no.	Pckg.-Inhalt box content in Stück/pieces
	USP	metric				
1/2-Kreis Rundkörper = HR, HRS <i>1/2 circle, round bodied = HR, HRS</i>						
● HRS 40 	0	3.5	0,90	ungefärbt/ <i>undyed</i>	PR30313	24
	1	4	0,90	ungefärbt/ <i>undyed</i>	PR30314	24
● HRS 48 	1	4	0,90	ungefärbt/ <i>undyed</i>	PR30317	24
	2	5	0,90	ungefärbt/ <i>undyed</i>	PR30318	24
1/2-Kreis schneidende Rundkörper (Diamond-Spitze) = HRT <i>1/2 circle round bodied, trocar point = HRT</i>						
▼ HRT 25 A  <i>Abziehnadel / control release needle</i>	3-0	2	5 x 0,45	ungefärbt/ <i>undyed</i>	PR30605	12
▼ HRT 35 	2-0	3	0,90	ungefärbt/ <i>undyed</i>	PR30608	24
	0	3.5	0,90	ungefärbt/ <i>undyed</i>	PR30609	24
	1	4	0,90	ungefärbt/ <i>undyed</i>	PR30610	24
1/2-Kreis schneidende = HS <i>1/2 circle, reverse cutting = HS</i>						
▼ HS 18 	4-0	1.5	0,45	ungefärbt/ <i>undyed</i>	PR31103	24
	3-0	2	0,45	ungefärbt/ <i>undyed</i>	PR31104	24
▼ HS 22 	3-0	2	0,45	ungefärbt/ <i>undyed</i>	PR31107	24
	2-0	3	0,45	ungefärbt/ <i>undyed</i>	PR31108	24
▼ HS 35 	0	3.5	0,70	ungefärbt/ <i>undyed</i>	PR31112	24
▼ HS 40 	0	3.5	0,90	ungefärbt/ <i>undyed</i>	PR31113	24
	1	4	0,90	ungefärbt/ <i>undyed</i>	PR31114	24

PGA *resoquick*TM

Sterile Nadel-Faden-Kombination



Needle - suture - combination, sterile

Nadel / needle	Stärke Nr. gauge no.		Länge/length m	Farbe/colour	Best.-Nr. code no.	Pckg.-Inhalt box content in Stück/pieces
	USP	metric				
3/8-Kreis schneidende = DS mit PREMIUM-Schliff = DSM <i>3/8 circle, reverse cutting = DS PREMIUM cut = DSM</i>						
▽ DSM 11  PREMIUM-Schliff / PREMIUM cut	6-0	0.7	0,45	ungefärbt/ undyed	PR31502	24
▽ DSM 13  PREMIUM-Schliff / PREMIUM cut	5-0	1	0,45	ungefärbt/ undyed	PR31504	24
	4-0	1.5	0,45	ungefärbt/ undyed	PR31505	24
▼ DS 18 	5-0	1	0,45	ungefärbt/ undyed	PR31405	24
	3-0	2	0,45	ungefärbt/ undyed	PR31408	24
▼ DS 18 F 	4-0	1.5	0,45	ungefärbt/ undyed	PR31410	24
▽ DSM 18 F  PREMIUM-Schliff / PREMIUM cut	4-0	1.5	0,45	ungefärbt/ undyed	PR31516	24
	4-0	1.5	0,70	ungefärbt/ undyed	PR31517	24
▽ DSM 18  PREMIUM-Schliff / PREMIUM cut	3-0	2	0,45	ungefärbt/ undyed	PR31510	24
	4-0	1.5	0,70	ungefärbt/ undyed	PR31509	24
	3-0	2	0,70	ungefärbt/ undyed	PR31511	24
▼ DS 24 	3-0	2	0,45	ungefärbt/ undyed	PR31420	24
	2-0	3	0,45	ungefärbt/ undyed	PR31422	24
	3-0	2	0,70	ungefärbt/ undyed	PR31421	24
	2-0	3	0,70	ungefärbt/ undyed	PR31423	24
▽ DSM 24  PREMIUM-Schliff / PREMIUM cut	3-0	2	0,45	ungefärbt/ undyed	PR31520	24
	2-0	3	0,45	ungefärbt/ undyed	PR31522	24
	3-0	2	0,70	ungefärbt/ undyed	PR31521	24
	2-0	3	0,70	ungefärbt/ undyed	PR31523	24
▼ DS 27 	3-0	2	0,70	ungefärbt/ undyed	PR31424	24

PGA *resoquick*TM

Sterile Nadel-Faden-Kombination

Needle - suture - combination, sterile

Nadel / needle	Stärke Nr. gauge no.		Länge/length m	Farbe/colour	Best.-Nr. code no.	Pckg.-Inhalt box content in Stück/pieces
	USP	metric				
Gerade schneidende = GS <i>straight, cutting = GS</i>						
▼ GS 12 	4-0	1.5	0,45	ungefärbt/ <i>undyed</i>	PR31703	24
3/8-Kreis schneidende Spatula, mit PREMIUM-Schliff = DSPM <i>3/8 circle, spatulated, PREMIUM cut = DSPM</i>						
 2 x DSPM 7 PREMIUM-Schliff / <i>PREMIUM cut</i>	8-0	0.4	0,45	ungefärbt/ <i>undyed</i>	PR3201	24

PGA *resoquick*TM

Einzelfadenpackungen, steril in vorgeschrittenen Längen

Sterile pre-cut suture, non-needed

Stärke Nr. gauge no. USP metric		Länge/length m	Farbe/colour	Best.-Nr. code no.	Pckg.-Inhalt box content in Stück/pieces
3-0	2	3 x 0,45	ungefärbt/ <i>undyed</i>	PW 433	24
2-0	3	3 x 0,45	ungefärbt/ <i>undyed</i>	PW 533	24
0	3.5	3 x 0,45	ungefärbt/ <i>undyed</i>	PW 633	24
3-0	2	6 x 0,45	ungefärbt/ <i>undyed</i>	PW 465	24
2-0	3	6 x 0,45	ungefärbt/ <i>undyed</i>	PW 565	24
0	3.5	6 x 0,45	ungefärbt/ <i>undyed</i>	PW 665	24
1	4	6 x 0,45	ungefärbt/ <i>undyed</i>	PW 765	24
2-0	3	2 x 0,70	ungefärbt/ <i>undyed</i>	PW 520	24
0	3.5	2 x 0,70	ungefärbt/ <i>undyed</i>	PW 620	24
1	4	2 x 0,70	ungefärbt/ <i>undyed</i>	PW 720	24